

## WFG35-50

3,500LB-4,000LB-5,000LB LPG-PNEUMATIC



#### WFG35-WFG40-WFG50-WFG50BCS

3,500 lb - 4,00000 lb - 5,000 lb • LPG • Pneumatic Tire

## **WORLD-LIFT FORKLIFTS**

WORLDWIDE FORKLIFTS INC. 268 SW 32 CT FT. LAUDERDALE, FL 333

#### WFG35-50



## **FEATURES & BENEFITS**

- Nissan K21and K25 Tier IV Engine
- The K Series engine with an IMPCO injection fuel system offers proven durable technology in an economic package. Currentty more than 20 forklft OEMs use K series engines as a rugged, reliable power source with a built-in side PTO
- Power shift (Automatic) transmission with separate inching and brake pedals, offers positive operation in tight working areas, especially beneficial working on ramps and inclines.
- High visibility design mast with side thrust rollers in the carriage for smoother operation and longer life of the mast components.
- Fully Hydrostatic Power Steering for smoother operation and many fewer parts for lower maintenance costs. This utilizes the largest cylinder and thickest steel for protection of any forklift in its class!
- Large hydraulically actuated Drum & Shoe type brakes for positive braking performance and ease of maintenance. Mechanical lever type parking brake for reliability.
- Control Handles are mountedon the dash for operatorconvenience and also allows the operator to enter/exit the operator compartment from either side of the machine comfortably



- Tilt Steering Wheel
- Adjustable Seat
- Seat Belt
- Dual Head Lights
- Front Turn Signals
- Rear Turn Signals
- Brake Lights
- · Back-up Lights
- Back-up Alarm
- Neutral Safety Switch
- Welded Overhead Guard
- Integral Gas Tank
- Integral Hydraulic Tank

- High air intake
- · Cyclone air cleaner
- Insulated engine cover
- · Hand hold for entry
- Radiator overflow bottle
- Third valve & lever
- Horn
- Hour Meter
- · Charge warning light
- Temperature warning light
- Oil pressure gauge
- Key switch
- · Safety load backrest

- ITA Class II forks & carriage
- · Easy access floor boards
- Rubber safety mat
- Meet or exceed all ANSI B56.1
- Safety standards for powered industrial trucks and underwriters laboratories requirements as to fire hazard. EPA Compliant









## **FEATURES & BENEFITS**

MODEL		WFG35	WFG40	WFG50	WFG-50BCS
Capacity	Lb	3,500	4,000	5,000	5,000
Load Center	In.	24	24	24	24
Power Engine	Fuel	LPG	LPG/	LPG	LPG
Tires Air Pneumatic	Front	6.50-20-10PR	7.00-12-12PF	7.00-12-12PR	7.00-12-12PR
Tires	Rear	5.00-8-10PR	6.00-9-10PR	6.00-9-10PR	6.00-9-10PR
Fork Size	In.	36X4.7X1.4	42X4.7X1.6	42X4.7X1.6	42X4.7X1.6
Length	In	42	42	42	42
Mast Tilt Fwd/Back	Deg.	6 / 12	6 / 12	6 / 12	6 / 12
Total Width	In.	42.6	45	45	45
Std Mast Height	In.	118	118	118	118
Guard Height	In.	81	81	81	82
Min Turn Radius Outside	Inch	80.1	91	91	81
Ground Clearance	Inch	4.3	4.75	4.75	4.75
Max Gradeability	Degree	20	20	20	20
Total Length	Inch	90	102	102	97
Service Weight	Lb	6614	8157	8355	8355
LPG Eng	Нр	42	57	57	57
Diesel		N/A	N/A	N/A	N/A
Wheelbase	Inch	55.11	63	63	63
Brakes	Туре	Hand/Foot	Hand/ Foot	Hand/Foot	Hand/Foot
Engine / Model Diesel / LPG		Nissan K21	Nissan K25	Nissan K25	Nissan K25
Transmission Power shift	Fwd Back	1/1	1/1	1/1	1/1

#### Standard Equipment

Two Stage Mast

Pneumatic Tires

Nissan K-21 & K25

Tier IV

**Auto Transmission** 

Headlights

Back Up Lights

Turn Signals

Hydro Steer Axle

Mirrors

Load Backrest

Seat Belt

Tilt Steer Wheel

3rd Valve

Operator Manual

Standard Forks

# Optional Equipment

Various Masts

Standard

Full Free Lift

Triplex

Various Tire Options

Solid

Foam Filled

LPG Tanks

Side Shifters

4 Way Hydraulics

Fork Options

LPG Models to 15.5

Rain Enclosures

Fire Ext

Blue-Light Safety



SALES-PARTS-SERVICE 954-768-9875 worldwideforklifts.com



#### MASTER DISTRIBUTOR FOR WORLD-LIFT FORKLIFTS WORLDWIDE

Sales-954-768-9875 Parts 954 768 9800

268 SW 32 Ct. Fort Lauderdale, FL 33315 www.worldwideforklifts.com

Dealer Info: